

L Number	Hits	Search Text	DB	Time stamp
1	7200	predict\$4 adj1 (cod\$4 or encod\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:31
2	15046	computer adj1 graph\$4 or limited adj1 color or discrete\$4 adj2 pixel adj2 value	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:32
3	126	(predict\$4 adj1 (cod\$4 or encod\$4)) and (computer adj1 graph\$4 or limited adj1 color or discrete\$4 adj2 pixel adj2 value)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:32
4	4001	error near2 feedback	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:33
5	6	((predict\$4 adj1 (cod\$4 or encod\$4)) and (computer adj1 graph\$4 or limited adj1 color or discrete\$4 adj2 pixel adj2 value)) and (error near2 feedback)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:38
6	4368971	@ad>19960617 not continuation	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:40
7	82	((predict\$4 adj1 (cod\$4 or encod\$4)) and (computer adj1 graph\$4 or limited adj1 color or discrete\$4 adj2 pixel adj2 value)) not (@ad>19960617 not continuation)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:43
8	2709	(reference or neighbor\$4 or peripheral\$4) adj1 pixel	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:45
9	122	(predict\$4 adj1 (cod\$4 or encod\$4)) and ((reference or neighbor\$4 or peripheral\$4) adj1 pixel)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:46
10	7	((predict\$4 adj1 (cod\$4 or encod\$4)) and (computer adj1 graph\$4 or limited adj1 color or discrete\$4 adj2 pixel adj2 value)) not (@ad>19960617 not continuation) and ((predict\$4 adj1 (cod\$4 or encod\$4)) and ((reference or neighbor\$4 or peripheral\$4) adj1 pixel))	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 10:59
11	3215	prediction adj1 (error or difference)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 11:00
12	1009	(prediction adj1 (error or difference)) and (predict\$4 adj1 (cod\$4 or encod\$4))	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 11:00
13	21	((prediction adj1 (error or difference)) and (predict\$4 adj1 (cod\$4 or encod\$4))) and ((predict\$4 adj1 (cod\$4 or encod\$4)) and (computer adj1 graph\$4 or limited adj1 color or discrete\$4 adj2 pixel adj2 value))	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 11:01
14	10	((prediction adj1 (error or difference)) and (predict\$4 adj1 (cod\$4 or encod\$4))) and ((predict\$4 adj1 (cod\$4 or encod\$4)) and (computer adj1 graph\$4 or limited adj1 color or discrete\$4 adj2 pixel adj2 value))) not (@ad>19960617 not continuation)	USPAT; EPO; JPO; DERWENT; IBM TDB	2001/10/02 11:01

FILE 'INSPEC' ENTERED AT 13:13:50 ON 02 OCT 2001
Compiled and produced by the IEE in association with FIZ KARLSRUHE
COPYRIGHT 2001 (c) INSTITUTION OF ELECTRICAL ENGINEERS (IEE)

FILE 'PATOSWO' ENTERED AT 13:13:50 ON 02 OCT 2001
COPYRIGHT (c) 2001 WILA Verlag Muenchen (WILA)

FILE 'SCISEARCH' ENTERED AT 13:13:50 ON 02 OCT 2001
COPYRIGHT (C) 2001 Institute for Scientific Information (ISI) (R)

~~=> s predict?(w) (encod? or cod?)~~
~~L1 0 PREDECT?(W) (ENCOD? OR COD?)~~

=> s predict?(w) (encod? or cod?)
L2 4098 PREDICT?(W) (ENCOD? OR COD?)

~~=> s computer(w)graph? or limited(w)color or discrete?(3w)pixel(w)value~~

~~<-----User Break----->~~

~~u~~
~~SEARCH ENDED BY USER~~

=> s L2 and (computer(w)graph? or limited(w)color or
discrete(2w)pixel(w)value)
L3 13 L2 AND (COMPUTER(W) GRAPH? OR LIMITED(W) COLOR OR DISCRETE(2W)
PIXEL(W) VALUE)

=> d L3 1-13

3/9/1

DIALOG(R)File 345:Inpadoc/Fam.& Legal Stat
(c) 2001 EPO. All rts. reserv.

14145946

Basic Patent (No,Kind,Date): JP 10004551 A2 19980106 <No. of Patents: 003
>

PATENT FAMILY:

JAPAN (JP)

Patent (No,Kind,Date): JP 10004551 A2 19980106
IMAGE PROCESSING UNIT, METHOD FOR THE UNIT AND STORAGE MEDIUM STORING
THE METHOD (English)

Patent Assignee: CANON KK

Author (Inventor): KAJIWARA HIROSHI

Priority (No,Kind,Date): JP 96155501 A 19960617

Applic (No,Kind,Date): JP 96155501 A 19960617

IPC: * H04N-007/32

Derwent WPI Acc No: * G 98-117480; G 98-117480

Language of Document: Japanese

Patent (No,Kind,Date): JP 10004557 A2 19980106
UNIT, AND METHOD FOR IMAGE PROCESSING AND STORAGE MEDIUM STORING THE
METHOD (English)

Patent Assignee: CANON KK

Author (Inventor): KAJIWARA HIROSHI

Priority (No,Kind,Date): JP 96155502 A 19960617

Applic (No,Kind,Date): JP 96155502 A 19960617

IPC: * H04N-007/32; H03M-007/40; H04N-001/41; H03M-007/36

Derwent WPI Acc No: * G 98-117486; G 98-117486

Language of Document: Japanese

UNITED STATES OF AMERICA (US)

Patent (No,Kind,Date): US 6028963 A 20000222
IMAGE ENCODING BASED ON JUDGEMENT ON PREDICTION ERROR (English)

Patent Assignee: CANON KK (JP)

Author (Inventor): KAJIWARA HIROSHI (JP)

Priority (No,Kind,Date): JP 96155501 A 19960617; JP 96155502 A
19960617

Applic (No,Kind,Date): US 874581 A 19970613

National Class: * 382239000; 382238000; 382236000; 348400000;
341051000

IPC: * G06K-009/36; H04N-007/12; H03M-007/34

Derwent WPI Acc No: * G 98-117480; G 98-117486

Language of Document: English

UNITED STATES OF AMERICA (US)

Legal Status (No,Type,Date,Code,Text):

US 6028963	P	19960617	US AA	PRIORITY (PATENT)
			JP 96155501 A	19960617
US 6028963	P	19960617	US AA	PRIORITY (PATENT)
			JP 96155502 A	19960617
US 6028963	P	19970613	US AE	APPLICATION DATA (PATENT)
			(APPL. DATA (PATENT))	
			US 874581 A	19970613
US 6028963	P	20000222	US A	PATENT
US 6028963	P	20010703	US RF	REISSUE APPLICATION FILED
			(REISSUE APPL. FILED)	
			20010409	